


## GLOBAL NETWORK



# OPPLE

Opplle Lighting India Private Limited  
 DJ-1012/14/15, DLF Tower-B, Jasola District Centre, New Delhi - 110025, India  
 T +91 11 49881800, +91 11 49881888, 18 00 102 5383  
 E customercare.india@opple.com

Follow us on: [f https://www.facebook.com/opplightingindia](https://www.facebook.com/opplightingindia) [t https://www.twitter.com/opple.india](https://www.twitter.com/opple.india)

## OPPLE.COM

DEALER STAMP

**OPPLE** LED  
 MADE IN INDIA

# OPPLE

*See Beyond*

— Price list w.e.f. April 2019 —

OPPLE.COM

# See Beyond

When others are satisfied with the world the way it is,  
we care more about the bright future to come.

It is our nature to strive for better.  
It is the motivation that keeps us going.  
Never being satisfied, always progressing,  
allows us to see a bigger world.



Ople Products are Certified for  
Quality & Performance by  
Leading International & National Bodies



## smart LIGHT



### \*\*Smart O

Product Code	Power (W)	Colour	Product Description	MRP	Std. Pack (Pcs)
140057226	7	RGB	LED HTL Shining Cute	8230	1

\*\*Products are available on order

#### Features & Benefits

- 16 million colours • Bluetooth control • Smart mobile and APP control
- Wireless music player



### \*\*Sensor, Dimmable Bulb

Product Code	Power (W)	Colour	Product Description	MRP	Std. Pack (Pcs)
140054668	4	6500	LED P45-E27-4-Soundsensor Bulb	859	50
140044672	9.5	Dimmable	LED-E-A60-B22-Dimmable FR-CT	780	30
140051575	12	Dimmable	LED-Ecomax Dimmable Bulb-A70	1145	40

\*\*Products are available on order

#### Features & Benefits

- Flicker free - Protects sensitive eyesight • Quick response - Automatically turn on and turns off • 3 different colours for different moods • Easy to control



### Radar

Product Code	Power (W)	Colour	Product Description	MRP	Std. Pack (Pcs)
140044438	10	5700	MD240-D0.5*15	1550	5

#### Features & Benefits

- Flicker free - Protects sensitive eyesight • Infrared & light sensor

## LIGHT SOURCE

 LED Bulb P45, A60 & A70	 LED BEE Bulb	 LED High Power Bulb (EcoSave)	 LED High Power Bulb Performer
 LED Filament Candle & Bulb Dimmable	 LED EcoMax Filament Bulb G95, G125	 LED Filament Bulb, ST64	
 LED H Tube	 LED PLC Lamp		
 LED T5 Tube	 LED T8 Ecomax Tube	 LED T8 Empty Batten	
 LED T5 EII Batten	 LED T5 E2 AP Batten		
 LED Utility HF Batten			
 LED GX5.3 Utility	 LED GU10 Utility	 LED Utility 2 HV Strip	

## LIGHT SOURCE LED



FLICKER FREE LONG LASTING

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140054126	3	3000	LED Bulb-220-E14-P45	149	50
140054127	3	6500	LED Bulb-250-E14-P45	149	50
140054128	3	3000	LED Bulb-220-E27-P45	149	50
140054129	3	6500	LED Bulb-250-E27-P45	149	50
140054130	3	3000	LED Bulb-250-B22-P45	149	50
140054131	3	6500	LED Bulb-250-B22-P45	149	50
140054132	5	3000	LED-E1-P45-E14-CT	179	50
140054133	5	6500	LED-E1-P45-E14-CT	179	50
140054134	5	3000	LED-E1-P45-E27-CT	179	50
140054135	5	6500	LED-E1-P45-E27-CT	179	50
140054136	5	3000	LED-E1-P45-B22-CT	179	50
140054137	5	6500	LED-E1-P45-B22-CT	179	50
140053352	9	3000	LED E1-A60-E27-CT	249	40
140053353	9	6500	LED E1-A60-E27-CT	249	40
140053354	9	3000	LED E1-A60-B22-CT	249	40
140053355	9	6500	LED E1-A60-B22-CT	249	40
140053356	12	3000	LED E1-A70-E27-CT	349	40
140053357	12	6500	LED E1-A70-E27-CT	349	40
140053358	12	3000	LED E1-A70-B22-CT	349	40
140053359	12	6500	LED E1-A70-B22-CT	349	40
140053360	14	3000	LED E1-A70-E27-CT	449	40
140053361	14	6500	LED E1-A70-E27-CT	449	40
140053362	14	3000	LED E1-A70-B22-CT	449	40
140053363	14	6500	LED E1-A70-B22-CT	449	40

Features & Benefits  
• Flicker free - Protects sensitive eyesight • Long lifespan, install and forget

ENERGY IS LIFE CONSERVE IT

POWER SAVINGS

NEW



BEE Bulb  
A55 & A65

HIGH LUMEN OUTPUT WIDE OPERATING VOLTAGE 2.5KV SURGE PROTECTION

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
500008000911	5W	3000K	LED-E2-A55-E27-5W-3000K-CT-BEE	179	50
500008001011	5W	6500K	LED-E2-A55-E27-5W-6500K-CT-BEE	179	50
500008001211	5W	3000K	LED-E2-A55-B22-5W-3000K-CT-BEE	179	50
500008001111	5W	6500K	LED-E2-A55-B22-5W-6500K-CT-BEE	179	50
500008001311	7W	3000K	LED-E2-A55-E27-7W-3000K-CT-BEE	229	50
500008001411	7W	6500K	LED-E2-A55-E27-7W-6500K-CT-BEE	229	50
500008001511	7W	3000K	LED-E2-A55-B22-7W-3000K-CT-BEE	229	50
500008001611	7W	6500K	LED-E2-A55-B22-7W-6500K-CT-BEE	229	50
500008001811	9W	3000K	LED-E2-A55-E27-9W-3000K-CT-BEE	249	50
500008001711	9W	6500K	LED-E2-A55-E27-9W-6500K-CT-BEE	249	50
500008001911	9W	3000K	LED-E2-A55-B22-9W-3000K-CT-BEE	249	50
500008002011	9W	6500K	LED-E2-A55-B22-9W-6500K-CT-BEE	249	50
500008002111	12W	3000K	LED-E2-A65-E27-12W-3000K-CT-BEE	349	50
500008002211	12W	6500K	LED-E2-A65-E27-12W-6500K-CT-BEE	349	50
500008002311	12W	3000K	LED-E2-A65-B22-12W-3000K-CT-BEE	349	50
500008002411	12W	6500K	LED-E2-A65-B22-12W-6500K-CT-BEE	349	50
500008002511	14W	3000K	LED-E2-A65-E27-14W-3000K-CT-BEE	449	50
500008002611	14W	6500K	LED-E2-A65-E27-14W-6500K-CT-BEE	449	50
500008002711	14W	3000K	LED-E2-A65-B22-14W-3000K-CT-BEE	449	50
500008002811	14W	6500K	LED-E2-A65-B22-14W-6500K-CT-BEE	449	50

Features & Benefits  
• High lumen output upto 100lm/w • Wide operating voltage 100-300V • PF 0.9, 2.5KV Surge

## LIGHT SOURCE LED



High Power Bulb  
EcoSave

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
500007001500	27W	6500K	LED-Eco Save-HPB-B22-27W-3000K-CT	799	10
500007001600	27W	6500K	LED-Eco Save-HPB-B22-27W-6500K-CT	799	10
500007001700	36W	3000K	LED-Eco Save-HPB-B22-36W-3000K-CT	999	10
500007001800	36W	6500K	LED-Eco Save-HPB-B22-36W-6500K-CT	999	10
500007001900	45W	3000K	LED-Eco Save-HPB-B22-45W-3000K-CT	1299	8
500007002000	45W	6500K	LED-Eco Save-HPB-B22-45W-6500K-CT	1299	8

### Features & Benefits

- High lumen output upto 100lm/w
- Bright & uniform light
- Light weight, easy to install



HIGH LUMEN  
OUTPUT



BRIGHT &  
UNIFORM LIGHT



EASY TO  
INSTALL



High Power Bulb  
Performer

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
500006001310	95W	6500K	LED P1-HPB-E40 95W-6500K	6750	-

### Features & Benefits

- High Lumen output upto 126 Lm/w
- Replacement of 100 W - 200 W HID Lamps
- 2.5 times Longer life time than HID



HIGH LUMEN  
OUTPUT



HID  
LAMPS



2.5 TIMES  
LONGER  
LIFE TIME THAN HID



Filament Candle &  
Bulb, Dimmable

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140059851	2	2700	LED-E-C35-E14-FILA-CT(Candle)	295	50
140059852	4	2700	LED-E-C35-E14-FILA-CT(Candle)	375	50
140059853	2	2700	LED-E-F35-E14-FILA-CT(Candle)	295	50
140059854	4	2700	LED-E-F35-E14-FILA-CT(Candle)	375	50
140059857	4	2700	LED-E-A60-E27-FILA-CT(Bulb)	375	50
140059851	6	2700	LED-E-A60-E27-FILA-CT(Bulb)	500	50
140059859	8	2700	LED-E-A60-E27-FILA-CT(Bulb)	600	50
140056328	4.5	2700	LED-E-A60-E27-4.5W-FILA-Dim-CT	750	50
140056329	7	2700	LED-E-A60-E27-7W-FILA-Dim-CT	850	50

### Features & Benefits

- Flicker free - Protects sensitive eyesight
- Beautiful design & produces sparkling effect



FLICKER  
FREE



SPARKLING  
EFFECT



Ecomax Filament Bulb  
G95, G125

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140059869	6	2700	LED-E-G95-E27-6W-FILA-2700K-CT-TR	450	20
140059870	6	2700	LED-E-G95-E27-6W-FILA-2700K-CT-FR	450	20
140059871	8	2700	LED-E-G125-E27-8W-FILA-2700K-CT-TR	600	20
140059872	8	2700	LED-E-G125-E27-8W-FILA-2700K-CT-FR	600	20

### Features & Benefits

- Same lighting performance as incandescent
- Above 120lm/W efficiency
- Could replace incandescent lamps directly
- Up to 85% energy savings compared to incandescent bulb, 40% compared to CFL bulb



ENERGY  
SAVING

## LIGHT SOURCE LED



Filament Bulb  
ST64

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140059866	4	2200K	LED-E-ST64-E27-4W-FILA-2200K-CT-GOLDEN	499	40
140059867	6	2200K	LED-E-ST64-E27-6W-FILA-2200K-CT-GOLDEN	525	40
140059868	8	2200K	LED-E-ST64-E27-8W-FILA-2200K-CT-GOLDEN	555	40

### Features & Benefits

- Flicker free - Protects sensitive eyesight
- Beautiful design



FLICKER  
FREE



LED Tube  
H Tube

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
505003000111	18	3000	LED-U-H-module-18W-3000K-India	800	30
505003000211	18	4000	LED-U-H-module-18W-4000K-India	800	30
140058940	18	5700	LED-U-H-module-18W-5700K-India	800	30

### Features & Benefits

- Long lifespan, install and forget
- 2G11 cap base
- High quality polycarbonate cover
- Energy saving with 100 lm/w



LONG  
LIFESPAN



ENERGY  
SAVING



LED PLC Lamp

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
505005000815	8W	2700K	LED-E-PLC-G24d-8W-2700K-CT	490	30
505005000715	8W	4000K	LED-E-PLC-G24d-8W-4000K-CT	490	30
140066346	8W	6500K	LED-E-PLC-G24d-8W-6500K-CT	490	30
505005000515	11W	2700K	LED-E-PLC-G24d-11W-2700K-CT	590	30
505005000415	11W	4000K	LED-E-PLC-G24d-11W-4000K-CT	590	30
140066348	11W	6500K	LED-E-PLC-G24d-11W-6500K-CT	590	30

### Features & Benefits

- Easy replacement for traditional PLC (13/18/26W)
- Can work in horizontal downlights
- Upto 50% energy saving, 25000 hrs lifespan



EASY  
REPLACEMENT



ENERGY  
SAVING



T5 Tube

Product Code	Power (W)	Colour (K)	Product Description	Price on Request	Std. Pack (Pcs)
140052551	8	5700K	LED-220-T5-8-01-Bright Star -857	-	-
140052549	17	5700K	LED-220-T5-17-01-Leung-Sing-857	-	-
140052745	-	-	Power-LED-T5-8 (1 * 2) - Finished Product	-	-
140052742	-	-	Power -LED-T5-17(1*1)- Finished	-	-

### Features & Benefits

- Flicker free - Protects sensitive eyesight
- Easy to install



FLICKER  
FREE



EASY TO  
INSTALL

## LIGHT SOURCE LED



LED T8  
Ecomax Tube

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
502003003310	10	3000	LED-E1-T8-600mm-10W-3000K-Glass-CT	480	25
502003003410	10	4000	LED-E1-T8-600mm-10W-4000K-Glass-CT	480	25
502003003510	10	6500	LED-E1-T8-600mm-10W-6500K-Glass-CT	480	25
502003003610	20	3000	LED-E1-T8-1200mm-20W-3000K-Glass-CT	575	25
502003003710	20	4000	LED-E1-T8-1200mm-20W-4000K-Glass-CT	575	25
502003003810	20	6500	LED-E1-T8-1200mm-20W-6500K-Glass-CT	575	25

### Features & Benefits

- Flicker free - Protects sensitive eyesight • High brightness - More than 105 lm/W
- Long lifespan, install and forget • USP product for Project Application



T8 Empty Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140055131	-	-	LED-U-T8 EMPTY Batten-1200mm-TT-CT	355	20
140055133	-	-	LED-U-T8 EMPTY Batten-1200mm-TTR-CT	455	20




LED T5 EII  
Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140060481	5	3000	LED-E2-T5 batten-0.3m-5W-3000K-CT	395	25
140060900	5	4000	LED-E2-T5 batten-0.3m-5W-4000K-CT	395	25
140060482	5	6500	LED-E2-T5 batten-0.3m-5W-6500K-CT	395	25
140060483	11	3000	LED-E2-T5 batten-0.6m-11W-3000K-CT	495	25
140060899	11	4000	LED-E2-T5 batten-0.6m-11W-4000K-CT	495	25
140060484	11	6500	LED-E2-T5 batten-0.6m-11W-6500K-CT	495	25
140060485	20	3000	LED-E2-T5 batten-1.2m-20W-3000K-CT	649	25
140060898	20	4000	LED-E2-T5 batten-1.2m-20W-4000K-CT	649	25
140060486	20	6500	LED-E2-T5 batten-1.2m-20W-6500K-CT	649	25

### Features & Benefits

- Unibody housing design • Different size options for different customer needs (1/2/4 feet.)
- In 3 Colour temperatures 3000K, 4000K and 6500K • High quality engineering plastic diffuser



LED T5 E2  
AP Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140063179	22	3000	LED E2 AP T5 batten 1.2m 22W 730 India	990	30
140063180	22	4000	LED E2 AP T5 batten 1.2m 22W 740 India	990	30
140063181	22	6500	LED E2 AP T5 batten 1.2m 22W 765 India	990	30

### Features & Benefits

- High quality silver oxidized aluminum • Sturdy & durable, unique design and delicate feel • PFO.9

## LIGHT SOURCE LED



Utility HF  
Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
542005005010	32W	6500K	LED-U-HF Linear-1200mm-32W-6500K-IBU	995	25
542005005110	32W	4000K	LED-U-HF Linear-1200mm-32W-4000K-IBU	995	25
542005005210	32W	3000K	LED-U-HF Linear-1200mm-32W-3000K-IBU	995	25
542005005310	16W	6500K	LED-U-HF Linear-600mm-16W-6500K-IBU	695	25
542005005410	16W	4000K	LED-U-HF Linear-600mm-16W-4000K-IBU	695	25
542005005510	16W	3000K	LED-U-HF Linear-600mm-16W-3000K-IBU	695	25

### Features & Benefits

- High efficacy upto 95lm/w • Multiple applications: Supermarket, parking area, warehouse
- Plug-n-play installation



GX5.3 Utility

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140065094	6	2700K	LED-E2-GX5.3-6W-36D-2700K-CT	325	100
501002000210	6	4000K	LED-E2-GX5.3-6W-36D-4000K-CT	325	100
140065095	6	6500K	LED-E2-GX5.3-6W-36D-6500K-CT	325	100
140065096	8	2700K	LED-E2-GX5.3-8W-36D-2700K-CT	500	100
140065097	8	6500K	LED-E2-GX5.3-8W-36D-6500K-CT	500	100

### Features & Benefits

- Single optical lens technology • Broad beam angle • Good replacement for MR16



GU10 Utility

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140065088	6	2700K	LED-E2-GU10-6W-36D-2700K-CT	325	100
140067471	6	4000K	LED-E2-GU10-6W-36D-4000K-CT	325	100
140065089	6	6500K	LED-E2-GU10-6W-36D-6500K-CT	325	100
140065090	8	2700K	LED-E2-GU10-8W-36D-2700K-CT	500	100
140065091	8	6500K	LED-E2-GU10-8W-36D-6500K-CT	500	100

### Features & Benefits

- Single optical lens technology • Broad beam angle • Flicker free - Protects sensitive eyesight



LED Utility  
2 HV Strip

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
504000002211	6W/M	3000K	LED-Strip-2835-220V-6W/M-45M-60-3000K	9,900	45Mtr/roll
504000002311	6W/M	4000K	LED-Strip-2835-220V-6W/M-45M-60-4000K	9,900	45Mtr/roll
504000002411	6W/M	6500K	LED-Strip-2835-220V-6W/M-45M-60-6500K	9,900	45Mtr/roll
504000002511	6W/M	RED	LED-Strip-2835-220V-6W/M-45M-60-Red	9,900	45Mtr/roll
504000002611	6W/M	BLUE	LED-Strip-2835-220V-6W/M-45M-60-Blue	9,900	45Mtr/roll
504000002711	6W/M	GREEN	LED-Strip-2835-220V-6W/M-45M-60-Green	9,900	45Mtr/roll
504000002811	-	-	LED-strip-2835-220V-60-Accessory package	250	-

### Features & Benefits

- Good flexibility for any shape • High quality & highly transparent PVC • Easy and safe installation



# CONSUMER



# CONSUMER LED



Peacock

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140050872	5.7W	3000K/4000K/5000K	MZB120-D2.2x1+0.4x3-Peacock-3000K/4000K/5000K	8500	4

**Features & Benefits**

- Combination of Modern optics and Bionic Art
- Powder coating Aluminium Housing
- Glossy finish
- Beautiful Peacock Light effect



Twinkle Star

Product Code	Power (W)	CCT (K)	Colour	Product Description	MRP (₹)
140056331/ 140060291	33	5700	White (yellow edge)	LED Mx518 33W Dim III Twinkle Star	10950

**Features & Benefits**

- Flicker free - Protects sensitive eyesight
- Magic control - 6 colour decorative sensor dimmer
- Unique design - Shape & light effect



FLICKER FREE



JBL Speaker Light

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140067377	49	3000K/5700K	LED-MX570-D0.5x88WTT-01-3000/5700K	29900	1

**Features & Benefits**

- JBL High performance speaker
- Bluetooth connection with remote control
- Brightness & color dimming
- Easy installation



BLUETOOTH CONNECTION



BRIGHTNESS & COLOR DIMMING



EASY TO INSTALLATION



Cloud


Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140048617	80	5700+3000	LED HC6565 RG-Cloud	17995	1

## CONSUMER LED



Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140061354	23	4000K	LED HC420 23W Akira 4000K	2990	6

**Features & Benefits**  
 • High lumen, bright light • Anti-UV polycarbonate cover • Prism frame design with Crystal effect



Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140050872	22	3000/4500	MX420- D0.5*48ST-14-Bear	4200	6
140051928	22	3000/4500	HC480- Star Diamond	4560	5

**Features & Benefits**  
 • Replaceable LED module, optimised lens design • High-quality acrylic cover (PMMA), 99% light transparency  
 • 20,000 hour lifespan • Flicker free - Protects sensitive eyesight • Uniform light output: Driver on board, PMMA lens • Flicker free - Protects sensitive eyesight



Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140054619	9.6	2700	HC260 Parrot	1380	10
140047014	9.6	5700	HC260 Parrot	1380	10
140050674	16	2700	HC350 White	1600	5
140051098	19	4000	HC420 Blossom	2575	6

**Features & Benefits**  
 • Replaceable LED module, optimised lens design • High-quality acrylic cover (PMMA), 99% light transparency  
 • 20,000 hour lifespan • Flicker free - Protects sensitive eyesight  
 • Uniform light output: Driver on board, PMMA lens




## CONSUMER LED




Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140067245	6	3000K	LED-HC180-D0.2*30-Diamond-3000K-R-F	750	20
140067246	6	5700K	LED-HC180-D0.2*30-Diamond-5700K-R-F	750	20
140067253	12	3000K	LED-HC230-D0.2*60-Diamond-3000K-R-F	1750	20
140067254	12	5700K	LED-HC230-D0.2*60-Diamond-5700K-R-F	1750	20
140067249	9	3000K	LED-HC1818-D0.2*42-Diamond-3000K-S-F	1350	20
140067250	9	5700K	LED-HC1818-D0.2*42-Diamond-5700K-S-F	1350	20

**Features & Benefits**  
 • IP 44 - Dust & moisture free • Modular designed LED chip board • Complete flicker free line



Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140053329	8	3000	LED-HML455A-D0.2*40-Knight	3512	12

**Benefits**  
 • True colour - CRI > 80, your face is shown under good light with colours appearing appealing and natural  
 • Fix or rotate: Stylish design and 2 choices available - fixed and rotatable to meet your different needs



# CONSUMER LED



**Table Lamp**  
Toronto, Pipe & Reader Series

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140050049	8.5	4000	LED HTL Dim Toronto White ES	4982	6
140058613	3	4000	LED MT Dim White Pipe	1455	20
523006001210	5	4000	LED MT 5W 4000K Reader	1,500	12

**Features & Benefits**

- Smart touch controls for reading/surfing modes and brightness adjustment • Dimmable from 10-100% brightness
- Flicker free - Protects sensitive eyesight • Long lifespan, install and forget • Robust design

**Reader**

- Sturdy built, golden colour • 3 dimming levels: 10%, 50% & 100%



**Emergency Light**

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
523008000410	4W	4000K	LED MT 4W DIM Compass	490	50
523008000510	8W	4000K	LED MT 8W DIM Compass	990	50

**Features & Benefits**

- Two-step dimming (50%,100%) • Stand, wall mounting & hanging option
- Light weight & compact size, easy to carry



# PROFESSIONAL

- LED Downlight HM
- LED Junction Downlight
- LED Slim Downlight EcoMax III
- LED HS Downlight
- LED HS Spotlight
- LED Grid HJ
- LED Spot HP
- LED Spot HJ
- LED Track Utility
- LED Track Utility (Surface Mounted)
- LED Slim Panel
- LED Backlit Panel 2x2 EcoMax
- LED Panel Zenith
- LED Office Linear
- LED High Flux Batten
- LED Highbay
- LED Flood Light EII
- LED Flood Light EQ
- LED Flood Light EcoMax H
- LED Bulkhead EcoMax
- LED Street Ligh EQ
- LED Street Ligh PQ





# PROFESSIONAL LED



HM Series

- HIGH LUMEN OUTPUT
- IP44 DUST & MOISTURE FREE
- FLICKER FREE

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140048184	5	3000	LEDDownlightRc-HM R82-5W-3000-WH-GP	1385	18
140048185	5	4000	LEDDownlightRc-HM R82-5W-4000-WH-GP	1385	18
140048186	5	5700	LEDDownlightRc-HM R82-5W-5700-WH-GP	1385	18
140048187	6	3000	LEDDownlightRc-HM R100-6W-3000-WH-GP	1485	18
140047841	6	4000	LEDDownlightRc-HM R100-6W-4000-WH-GP	1485	18
140048188	6	5700	LEDDownlightRc-HM R100-6W-5700-WH-GP	1485	18
140048189	9	3000	LEDDownlightRc-HM R120-9W-3000-WH-GP	1805	6
140047842	9	4000	LEDDownlightRc-HM R120-9W-4000-WH-GP	1805	6
140048190	9	5700	LEDDownlightRc-HM R120-9W-5700-WH-GP	1805	6
140049938	9	3000	LEDDownlightRc-HMP R120-9W-3000-WH-GP	2345	6
140049939	9	4000	LEDDownlightRc-HMP R120-9W-4000-WH-GP	2345	6
140049940	9	5700	LEDDownlightRc-HMP R120-9W-5700-WH-GP	2345	6
140048191	14	3000	LEDDownlightRc-HM R175-14W-3000-WH-GP	2605	6
140047843	14	4000	LEDDownlightRc-HM R175-14W-4000-WH-GP	2605	6
140048192	14	5700	LEDDownlightRc-HM R175-14W-5700-WH-GP	2605	6
140049941	14	3000	LEDDownlightRc-HMP R175-14W-3000-WH-GP	2955	6
140049942	14	4000	LEDDownlightRc-HMP R175-14W-4000-WH-GP	2955	8
140049943	14	5700	LEDDownlightRc-HMP R175-14W-5700-WH-GP	2955	8
140048193	29	3000	LEDDownlightRc-HM R210-29W-3000-WH-GP	4095	8
140047844	29	4000	LEDDownlightRc-HM R210-29W-4000-WH-GP	4095	6
140048194	29	5700	LEDDownlightRc-HM R210-29W-5700-WH-GP	4095	6
140048195	42	3000	LEDDownlightRc-HM R210-42W-3000-WH-GP	4500	6
140048196	42	4000	LEDDownlightRc-HM R210-42W-4000-WH-GP	4500	6
140048197	42	5700	LEDDownlightRc-HM R210-42W-5700-WH-GP	4500	6

- Features & Benefits**
- High lumen efficacy, 100 lm/W • Optimal heat management • Broad range of sizes - 2.5", 3", 4", 6" or 8"
  - IP44 protection rating • Flicker free - Protects sensitive eyesight



Junction Down Light

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
540001033510	7W	3000K	LEDDownlightRc-ESVI R72-7W-3000-WH-NV	390	45
540001033410	7W	4000K	LEDDownlightRc-ESVI R72-7W-4000-WH-NV	390	45
540001033610	7W	6500K	LEDDownlightRc-ESVI R72-7W-6500-WH-NV	390	45
540001033810	5W	3000K	LEDDownlightRc-ESVI R72-5W-3000-WH-NV	350	45
540001033710	5W	4000K	LEDDownlightRc-ESVI R72-5W-4000-WH-NV	350	45
540001033310	5W	6500K	LEDDownlightRc-ESVI R72-5W-6500-WH-NV	350	45

- Features & Benefits**
- Glare free light • Flicker free • Easy to install

- GLARE FREE LIGHT
- FLICKER FREE
- EASY TO INSTALL

# PROFESSIONAL LED



Slim Down Light Ecomax III

- HIGH LUMEN OUTPUT
- ENERGY SAVING
- EASY MAINTENANCE

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140062536	6	3000	LEDDownlightRc-ESIII R100-6W-3000-WH-NV	650	30
140062537	6	4000	LEDDownlightRc-ESIII R100-6W-4000-WH-NV	650	30
140062538	6	6500	LEDDownlightRc-ESIII R100-6W-6500-WH-NV	650	30
140062539	12	3000	LEDDownlightRc-ESIII R150-12W-3000-WH-NV	1000	20
140062540	12	4000	LEDDownlightRc-ESIII R150-12W-4000-WH-NV	1000	20
140062541	12	6500	LEDDownlightRc-ESIII R150-12W-6500-WH-NV	1000	20
140062542	18	3000	LEDDownlightRc-ESIII R200-18W-3000-WH-NV	1300	10
140062543	18	4000	LEDDownlightRc-ESIII R200-18W-4000-WH-NV	1300	10
140062544	18	6500	LEDDownlightRc-ESIII R200-18W-6500-WH-NV	1300	10
140062545	24	3000	LEDDownlightRc-ESIII R200-24W-3000-WH-NV	1500	10
140062546	24	4000	LEDDownlightRc-ESIII R200-24W-4000-WH-NV	1500	10
140062547	24	6500	LEDDownlightRc-ESIII R200-24W-6500-WH-NV	1500	10
140062548	6	3000	LEDDownlightRc-ESIII S100-6W-3000-WH-NV	650	30
140062549	6	4000	LEDDownlightRc-ESIII S100-6W-4000-WH-NV	650	30
140062550	6	6500	LEDDownlightRc-ESIII S100-6W-6500-WH-NV	650	30
140062551	12	3000	LEDDownlightRc-ESIII S150-12W-3000-WH-NV	1000	20
140062552	12	4000	LEDDownlightRc-ESIII S150-12W-4000-WH-NV	1000	20
140062553	12	6500	LEDDownlightRc-ESIII S150-12W-6500-WH-NV	1000	20
140062554	18	3000	LEDDownlightRc-ESIII S200-18W-3000-WH-NV	1300	10
140062555	18	4000	LEDDownlightRc-ESIII S200-18W-4000-WH-NV	1300	10
140062556	18	6500	LEDDownlightRc-ESIII S200-18W-6500-WH-NV	1300	10
140062557	24	3000	LEDDownlightRc-ESIII S200-24W-3000-WH-NV	1500	10
140062558	24	4000	LEDDownlightRc-ESIII S200-24W-4000-WH-NV	1500	10
140062559	24	6500	LEDDownlightRc-ESIII S200-24W-6500-WH-NV	1500	10

- Features & Benefits**
- High lumen output & long life • Upto to 50 % energy saving than conventional downlight
  - Lasts 3 times longer than conventional downlight • Easy maintenance and aesthetic product



HS Down Light

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140053684	4.5	3000	LEDDownlightRc-HS R70-4.5W-3000-WH-GP	399	45
140053685	4.5	4000	LEDDownlightRc-HS R70-4.5W-4000-WH-GP	399	45
140053686	4.5	5700	LEDDownlightRc-HS R70-4.5W-5700-WH-GP	399	45

- Features & Benefits**
- Clean Beam • Easy to use

- CLEAN BEAM
- EASY TO USE



# PROFESSIONAL LED



HS Spotlight

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140062765	4.5	3000	LEDspotlightRA-HS R70-4.5W-3000-WH-GP	399	45
140062766	4.5	4000	LEDspotlightRA-HS R70-4.5W-4000-WH-GP	399	45
140062767	4.5	5700	LEDspotlightRA-HS R70-4.5W-5700-WH-GP	399	45
140063441	7	3000K	LEDspotlightRA-HS R70-7W-3000-WH-GP	600	45
140063442	7	4000K	LEDspotlightRA-HS R70-7W-4000-WH-GP	600	45
140063443	7	5700K	LEDspotlightRA-HS R70-7W-5700-WH-GP	600	45

Features & Benefits  
 • Clean beam • Easy to use



\*\*Grid HJ



Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140056821	10	3000	LEDspotGR-HJ-1 10W-3000-24D-WH-GP	2100	12
140056851	10	4000	LEDspotGR-HJ-1 10W-4000-24D-WH-GP	2100	12
140056852	20	3000	LEDspotGR-HJ-2 20W-3000-24D-WH-GP	3674	8
140056853	20	4000	LEDspotGR-HJ-2 20W-4000-24D-WH-GP	3674	8
140056854	20	3000	LEDspotGR-HJ-1 20W-3000-24D-WH-GP	3754	8
140056855	20	4000	LEDspotGR-HJ-1 20W-4000-24D-WH-GP	3754	8
140056858	30	3000	LEDspotGR-HJ-1 30W-3000-24D-WH-GP	3874	8
140056859	30	4000	LEDspotGR-HJ-1 30W-4000-24D-WH-GP	3874	8
140056856	40	3000	LEDspotGR-HJ-2 40W-3000-24D-WH-GP	6838	4
140056857	40	4000	LEDspotGR-HJ-2 40W-4000-24D-WH-GP	6838	4
140056862	40	3000	LEDspotGR-HJ-1 40W-3000-24D-WH-GP	4976	8
140056863	40	4000	LEDspotGR-HJ-1 40W-4000-24D-WH-GP	4976	8
140056860	60	3000	LEDspotGR-HJ-2 60W-3000-24D-WH-GP	7348	4
140056861	60	4000	LEDspotGR-HJ-2 60W-4000-24D-WH-GP	7348	4
140056864	80	3000	LEDspotGR-HJ-2 80W-3000-24D-WH-GP	9760	4
140056865	80	4000	LEDspotGR-HJ-2 80W-4000-24D-WH-GP	9760	4

\*\*4000K Products are available on request

Features & Benefits  
 • Newly Designed compound-eye lens with high efficacy • Aluminum die-casting heat sink  
 • Multiple choices of beam angle & grid heads • Tilt 350, beam angle 24°



\*\*Spot HP

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140048364	8	3000	LEDspotRA-HP 8W-Dim-3000-20D-AL-GP	3100	12
140048352	16	3000	LEDspotRA-HP 16W-Dim-3000-20D-AL-GP	4100	12
140048358	20	3000	LEDspotRA-HP 20W-Dim-3000-20D-AL-GP	4500	12

\*\*Products are available on order

Features & Benefits  
 • 1-10V dimming • Secondary reflector, UGR < 10 • Tilt 300 • Multiple light filter and reflector options - 10°, 15°, 20° or 30°



# PROFESSIONAL LED




Spot HJ



Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140056827	10	3000	LEDspotRA-HJ 10W-3000-16D-WH-GP	1798	30
140056828	10	3000	LEDspotRA-HJ 10W-3000-24D-WH-GP	1798	30
140056829	10	3000	LEDspotRA-HJ 10W-3000-36D-WH-GP	1798	30
140056830	10	4000	LEDspotRA-HJ 10W-4000-16D-WH-GP	1798	30
140056831	10	4000	LEDspotRA-HJ 10W-4000-24D-WH-GP	1798	30
140056832	10	4000	LEDspotRA-HJ 10W-4000-36D-WH-GP	1798	30
140056833	16	3000	LEDspotRA-HJ 16W-3000-16D-WH-GP	2325	32
140056834	16	3000	LEDspotRA-HJ 16W-3000-24D-WH-GP	2325	32
140056835	16	3000	LEDspotRA-HJ 16W-3000-36D-WH-GP	2325	32
140056836	16	4000	LEDspotRA-HJ 16W-4000-16D-WH-GP	2325	32
140056837	16	4000	LEDspotRA-HJ 16W-4000-24D-WH-GP	2325	32
140056838	16	4000	LEDspotRA-HJ 16W-4000-36D-WH-GP	2325	32
140056839	30	3000	LEDspotRA-HJ 30W-3000-16D-WH-GP	3518	24
140056840	30	3000	LEDspotRA-HJ 30W-3000-24D-WH-GP	3518	24
140056841	30	3000	LEDspotRA-HJ 30W-3000-36D-WH-GP	3518	24
140056842	30	4000	LEDspotRA-HJ 30W-4000-16D-WH-GP	3518	24
140056843	30	4000	LEDspotRA-HJ 30W-4000-24D-WH-GP	3518	24
140056844	30	4000	LEDspotRA-HJ 30W-4000-36D-WH-GP	3518	12
140056845	40	3000	LEDspotRA-HJ 40W-3000-17D-WH-GP	4672	12
140056846	40	3000	LEDspotRA-HJ 40W-3000-24D-WH-GP	4672	12
140056847	40	3000	LEDspotRA-HJ 40W-3000-36D-WH-GP	4672	12
140056848	40	4000	LEDspotRA-HJ 40W-4000-17D-WH-GP	4672	12
140056849	40	4000	LEDspotRA-HJ 40W-4000-24D-WH-GP	4672	12
140056850	40	4000	LEDspotRA-HJ 40W-4000-36D-WH-GP	4672	12

\* 16°, 36° & 4000K colour are available on request

Features & Benefits  
 • Newly Designed compound-eye lens • Aluminum die-casting heat sink • Multiple choices of beam angle & power  
 • Horizontal rotation 355°, vertical rotation 35°




Track Utility



Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140058507	5	3000	LEDspotTR-U 5W-3000-30D-WH-GP	599	48
140058508	5	6500	LEDspotTR-U 5W-6500-30D-WH-GP	599	48
140058509	7	3000	LEDspotTR-U 7W-3000-30D-WH-GP	699	48
140058510	7	6500	LEDspotTR-U 7W-6500-30D-WH-GP	699	48
140066316	12	3000	LEDspotTR-U 12W-3000-30D-WH-GP	1599	36
140066317	12	6500	LEDspotTR-U 12W-6500-30D-WH-GP	1599	36
140066318	20	3000	LEDspotTR-U 20W-3000-30D-WH-GP	2299	24
140066319	20	6500	LEDspotTR-U 20W-6500-30D-WH-GP	2299	24
140066320	30	3000	LEDspotTR-U 30W-3000-30D-WH-GP	3299	12
140066321	30	6500	LEDspotTR-U 30W-6500-30D-WH-GP	3299	12
140059216			track-LG205/WH-2line-0.5m	350	30
140059217			track-LG210/WH-2line-1.0m	390	30
140059218			connector-LGLJQ-I/WH-2line-I shape	150	200
140059219			connector-LGLJQ-L/WH2line-Lshape	190	200

Features & Benefits  
 • Uniform light with clean beam angle • Aluminum housing with aesthetic design  
 • Flexible adjustment horizontally & vertically



# PROFESSIONAL LED



Track Utility  
Surface Mounted

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140058511	5	3000	LEDspotSM-U 5W-3000-30D-WH-GP	599	48
140058512	5	6500	LEDspotSM-U 5W-6500-30D-WH-GP	599	48
140058513	7	3000	LEDspotSM-U 7W-3000-30D-WH-GP	699	48
140058514	7	6500	LEDspotSM-U 7W-6500-30D-WH-GP	699	48
140059216	-	-	Track-LG205/WH-2line-0.5m	269	-
140059217	-	-	Track-LG210/WH-2line-1.0m	369	-
140059218	-	-	Connector-LGLJQ-L/WH-2line-l shape	110	-
140059219	-	-	Connector-LGLJQ-L/WH2line-lshape	130	-

**Features & Benefits**  
 • Multiple beam angle options - 10°, 15°, 20° or 30° • Tilt 180°, rotate 355° • No UV radiation



Slim Panel

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
542004018210	32	6500	LED SPanelRc-EIII Sq595-32W-6500-WH-India	8500	5
542004018110	32	4000	LED SPanelRc-EIII Sq595-32W-4000-WH-India	8500	5
140062125	37	3000	LED SPanelRc-EII Sq595-WH-India	4615	-
140062126	37	4000	LED SPanelRc-EII Sq595-WH-India	4615	4
140062127	37	6000	LED SPanelRc-EII Sq595-WH-India	4615	4
140062320	37	-	LED SPanel-EII 37W-Driver-India-2	-	1
140064016	37	-	LED SPanel-EII for 1 Pnel Clip	-	-
140058145	-	-	LED SPanel-Rc-EII Surface Module-WH	1190	4

**Features & Benefits**  
 • Flicker free - Protects sensitive eyesight • High lumen efficacy • Long lifespan, install and forget



Backlit Panel  
Ecomax

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140062000	36	4000	LEDPanelRc-BL Sq595-36W-HF-4000-WH-GP	4615	4
140062001	36	6000	LEDPanelRc-BL Sq595-36W-HF-6000-WH-GP	4615	4
140062002	36	4000	LEDPanelRc-BL Re295-36W-HF-4000-WH-GP	4995	4
140062003	36	6000	LEDPanelRc-BL Re295-36W-HF-6000-WH-GP	4995	4
140062004	48	4000	LEDPanelRc-BL Sq595-48W-HF-4000-WH-GP	4900	4
140062005	48	6000	LEDPanelRc-BL Sq595-48W-HF-6000-WH-GP	4900	4
140062840	-	-	LEDPanel-Rc-BL Clip (4pcs/set)	-	-

**Features & Benefits**  
 • High Efficacy upto 100 lm/w good choice for project • Up to 60% energy saving • Flexible, can fit with different mounting requirement • Minimizes maintenance with long lifespan and low failure rate • Light in weight but sturdily built



# PROFESSIONAL LED



Zenith

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140047274	45	3000	LED Panel Sp-Z L1222-TR-GP	15995	1
140047275	45	4000	LED Panel Sp-Z L1222-TR-GP	15995	1
140047588	45	5700	LED Panel Sp-Z L1222-TR-GP	15995	1
140047276	80	3000	LED Panel Sp-Z L1222-TR-GP	19995	1
140047277	80	4000	LED Panel Sp-Z L1222-TR-GP	19995	1
140047587	80	5700	LED Panel Sp-Z L1222-TR-GP	19995	1

**Features & Benefits**  
 • Unique, modern design • Omni directional light emission • Batwing light distribution  
 • High lumen efficacy, 100 lm/W • Flicker free - Protects sensitive eyesight



Office Linear

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
542005003910	36W	3000K	LED-E-Linear Office-1200mm-36W-3000K-CT	6500	6
542005003010	36W	4000K	LED-E-Linear Office-1200mm-36W-4000K-CT	6500	6
542005003110	36W	6500K	LED-E-Linear Office-1200mm-36W-6500K-CT	6500	6
599006044710	-	-	LED-E-Linear Office-Suspended Rope	400	24
599006044610	-	-	LED-E-Linear Office-Middle Connector	100	50

**Features & Benefits**  
 • High efficacy - Upto 100 lm/ W • Suspended , Surface & Luminaire - Luminaire installation  
 • Flicker Free • Suitable for office & Public area application




High Flux Batten

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140058674	19	3000	LED-E-HF Batten-SF-600mm-19W-3000K-CT	1499	20
140058675	19	4000	LED-E-HF Batten-SF-600mm-19W-4000K-CT	1499	20
140058676	19	6500	LED-E-HF Batten-SF-600mm-19W-6500K-CT	1499	20
140058677	38	3000	LED-E-HF Batten-SF-1200mm-38W-3000K-CT	1999	20
140058678	38	4000	LED-E-HF Batten-SF-1200mm-38W-4000K-CT	1999	20
140058679	38	6500	LED-E-HF Batten-SF-1200mm-38W-6500K-CT	1999	20
140058680	-	-	LED-E-HF Batten-Middle Connector	120	-
140058681	-	-	LED-E-HF Batten-Suspended Rope	40	-

**Features & Benefits**  
 • High lumen output efficacy 90lm/W • Plug & play installation • Energy saving 50% as compared to conventional T-8 Batten • Long lifespan 3 times longer than conventional T-8 batten • Availability of 2 feet and 4 feet versions



# PROFESSIONAL LED



Highbay

LONG LIFESPAN EASY REPLACEMENT

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140059756	40	5700	LEDHighbay-P3-60D-GY-GP	9850	1
140059762	80	5700	LEDHighbay-P3-60D-GY-GP	14500	1
140059768	120	5700	LEDHighbay-P3-60D-GY-GP	21000	1
140059774	160	5700	LEDHighbay-P3-60D-GY-GP	28000	1
140044049	-	-	Accessory for Pollmounted Installation (40/80/120/160W)	-	-
140060030	-	-	Accessory for Wallmounted Installation (40/80/120W)	-	-
140044050	-	-	Accessory for Wallmounted Installation (160W)	-	-

### Features & Benefits

- Long lifespan, install and forget • Robust design • Easily replaces conventional Highbay up to 70% energy saving
- 50000hrs life span, 5 times longer than conventional Highbay
- Upto 125 lm/W, fin heat sink design meeting all applications & demand



Flood Light EII

HIGH LUMEN OUTPUT IP65 PROTECTION RATING

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140059516	30	3000	LED floodlight-E II 30 W-3000 GY-GP	3060	18
140059517	30	4000	LED floodlight-E II 30 W-4000 GY-GP	3060	18
140059518	30	6000	LED floodlight-E II 30 W-6000 GY-GP	3060	18
140059519	50	3000	LED floodlight-E II 50 W-3000 GY-GP	4320	12
140059520	50	4000	LED floodlight-E II 50 W-4000 GY-GP	4320	12
140059521	50	6000	LED floodlight-E II 50 W-6000 GY-GP	4320	12
140059619	70	3000	LED floodlight-E II 70 W-3000 GY-GP	4900	6
140059620	70	4000	LED floodlight-E II 70 W-4000 GY-GP	4900	6
140059621	70	6000	LED floodlight-E II 70 W-6000 GY-GP	4900	6
140059622	100	3000	LED floodlight-E II 100 W-3000 GY-GP	5300	6
140059623	100	4000	LED floodlight-E II 100 W-4000 GY-GP	5300	6
140059624	100	6000	LED floodlight-E II 100 W-6000 GY-GP	5300	6

### Features & Benefits

- Optimal heat management • High lumen output, anti-glare • IP65 protection rating
- Anti-shock IK08, 3G vibration endurance



Flood Light EQ

IP65 PROTECTION RATING

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
543017007510	10W	3000K	LED Floodlight-EQ 10W-3000-GY-GP-VLT	1,180	8
543017007310	10W	6500K	LED Floodlight-EQ 10W-6500-GY-GP-VLT	1,180	8
543017007210	20W	3000K	LED Floodlight-EQ 20W-3000-GY-GP-VLT	1,980	8
543017007010	20W	6500K	LED Floodlight-EQ 20W-6500-GY-GP-VLT	1,980	8
543017006910	30W	3000K	LED Floodlight-EQ 30W-3000-GY-GP-VLT	2,380	8
543017006710	30W	6500K	LED Floodlight-EQ 30W-6500-GY-GP-VLT	2,380	8
543017006610	50W	3000K	LED Floodlight-EQ 50W-3000-GY-GP-VLT	2,980	6
543017006410	50W	6500K	LED Floodlight-EQ 50W-6500-GY-GP-VLT	2,980	6
543017006310	70W	3000K	LED Floodlight-EQ 70W-3000-GY-GP-VLT	4,380	6
543017006110	70W	6500K	LED Floodlight-EQ 70W-6500-GY-GP-VLT	4,380	6
543017006010	100W	3000K	LED Floodlight-EQ 100W-3000-GY-GP-VLT	5,580	4
543017005810	100W	6500K	LED Floodlight-EQ 100W-6500-GY-GP-VLT	5,580	4

### Features & Benefits

- IP66 water and dust proof • Smooth and modern appearance • Vibration proof, wind-resistant, rust proof
- (-) 30 to +50 operating temp

# PROFESSIONAL LED



Flood Light Ecomax H

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140064730	200	5700	LED Floodlight-EII-60D-GY-GP	27000	4
543098001710	-	-	Flood light Ecomax 2X200W Bracket	-	-

### Features & Benefits

- Slim & Compact design • Robust Housing and refined finished coating • 50% lower energy consumption & longer life span • IP 65, IK 08, upto 100 lumen/W • Vibration, wind & rust proof product • Excellent thermal management for stable performance • Long life, low maintenance cost and easy installation • Surge Protection 10KV

ENERGY SAVING LONG LIFESPAN IP65 IP65



Bulkhead Ecomax

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
543022000310	6.5	3000K	LED bulkhead-E 6.5W-3000-FR-GP	1100	45
543022000410	6.5	4000K	LED bulkhead-E 6.5W-4000-FR-GP	1100	45
543022000510	6.5	6500K	LED bulkhead-E 6.5W-6500-FR-GP	1100	45
543022000610	13	3000K	LED bulkhead-E 13W-3000-FR-GP	1790	50
543022000710	13	4000K	LED bulkhead-E 13W-4000-FR-GP	1790	50
543022000810	13	6500K	LED bulkhead-E 13W-6500-FR-GP	1790	50

### Features & Benefits

- Upto 100lm/w, 30Khrs lifespan • IP65 rated, IK08 anti-shock rating • Outstanding water-proof design, adaptable in rough environment • Impact resistant, low maintenance • Upto to 90 % energy saving compared to conventional wall light

IP65 IP65 ENERGY SAVING



Street Light EQ

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140058466	20	3000	LEDStreetlight-EQ 20W-3000-150+70D-GY-GP	3500	6
140058467	20	4000	LEDStreetlight-EQ 20W-4000-150+70D-GY-GP	3500	6
140058462	20	5700	LEDStreetlight-EQ 20W-5700-150+70D-GY-GP	3500	6
140058463	40	3000	LEDStreetlight-EQ 40W-3000-150+70D-GY-GP	5500	6
140058465	40	4000	LEDStreetlight-EQ 40W-4000-150+70D-GY-GP	5500	6
140058464	40	5700	LEDStreetlight-EQ 40W-5700-150+70D-GY-GP	5500	6
140066457	60	3000	LEDStreetlight-EQ 60W-3000-150+70D-GY-GP	8500	4
140066458	60	4000	LEDStreetlight-EQ 60W-4000-150+70D-GY-GP	8500	4
140066459	60	5700	LEDStreetlight-EQ 60W-5700-150+70D-GY-GP	8500	4



Street Light PQ

Product Code	Power (W)	Colour (K)	Product Description	MRP (₹)	Std. Pack (Pcs)
140063309	100W	3000	LEDStreetlight-PQ 100W-3000-LG-GP	17990	2
140063310	100W	4000	LEDStreetlight-PQ 100W-4000-LG-GP	17990	2
140063312	100W	5700	LEDStreetlight-PQ 100W-5700-LG-GP	17990	2
140063317	150W	3000	LEDStreetlight-PQ 150W-3000-LG-GP	19990	2
140063318	150W	4000	LEDStreetlight-PQ 150W-4000-LG-GP	19990	2
140063320	150W	5700	LEDStreetlight-PQ 150W-5700-LG-GP	19990	2

### Features & Benefits

- Wide application voltage range • Surge protection up to 5KV • Optimal heat management • High lumen output, anti-glare • IP65 protection rating • Having the colour temperature of 3000K, 4000K and 5700K
- No dark spaces, excellent light effect • Safe for outdoor use, weather resistant • Up to 60% energy saving compared to HPS streetlight • Long life, low maintenance cost


HIGH LUMEN OUTPUT IP65 PROTECTION RATING ENERGY SAVING LONG LIFESPAN

# PHASE OUT


## LIGHT SOURCE





## CONSUMER



## PROFESSIONAL



**OPPLE**  
PROJECTS INDIA



**OPPLE**  
PROJECTS INDIA




**OPPLE**  
PROJECTS INDIA




**oppo**



**OPPLE**  
PROJECTS INDIA



**OPPLE**  
PROJECTS INDIA



# OPPLE'S ILLUMINATED CLIENTELE

# OPPLE'S ILLUMINATED CLIENTELE

## Esteemed Customers - Retail Segment



## Esteemed Customers - Hospitality Segment



## Esteemed Customers - Healthcare Segment



## Esteemed Customers - Education Segment



## Esteemed Customers - Industrial Segment



## Esteemed Customers - Office Segment



## Esteemed Customers - Religious Segment



### TERMS AND CONDITIONS :

1. This price list supercedes all earlier price lists.
2. Prices are subject to change without notice as per company discretion.
3. Opple Lighting India Pvt. Ltd. reserves the right to make changes in the design and data without any prior notice.
4. Care has been taken to ensure that the information contained within this list is correct. Company reserves the right to issue amendments, which may arise due to any errors in the price list.
5. MRP prices are inclusive of GST. They are the maximum recommended prices. However dealers/retailers are free to sell below the maximum recommended prices.
6. All rights reserved. Reproduction in whole or in part is prohibited.
7. 2 year warranty are applicable on specific product only.
8. Selected products are specifically made in India. For details contact your nearest dealer/retail outlet.