



**PHILIPS**

Lighting



**Philips Lighting**  
Branded Retail Price List  
2018-19

The background image shows a modern living room with a grey sofa, a wooden side table, and a dining table with a green placemat. The room is illuminated by recessed ceiling lights, demonstrating the Philips Lighting products.


# Philips LED Functional Lighting

## **Downlighters, Spot Lights and Strip lights**

Bring out the best in your home with the Philips range of Downlighters, Spot Lights and LED Strip Lights.

Equipped with the latest LED technology and designed for excellence in performance and quality, Philips products are the perfect blend of innovation and modern design. Offering the energy-saving benefits of LED, good light quality and maintenance free operation, Philips products are an ideal value for money solution.

Philips Downlights, Spot lights and Strip Lights are registered under BIS safety standards and IEC 60598.





**3 in 1**

## Ambience Plus

Switch-controlled, tunable  
downlight!

- 3 tunable white light modes to match your needs
- Show off/ Relax: **Warm White** when you entertain guests, or relax with family
- Everyday activities: **Natural White** when you want to cook, watch TV or kids want to play
- Productivity: **Cool Day Light** when you want to work or kids want to study
- Controlled with any wall switch
- Available in 7W & 12W, Round & Square

HSN Code: 94051090

### General Specs

Ambience Plus	7W	12W
Application	Switch-controlled tunable downlighter	
Color	White	
Material	Premium PVC	
Lamp base	LED 7W	LED 12W
Color Temperature	3000K/4000K/6500K in one fixture	
Dimensions (mm) (L X W X H)	140 x 140 x 47	180 x 180 x 47
Cutout	122mm	153mm
Lumen Output	500 Lumens	900 Lumens
Master Pack	12 pcs	12 pcs
MRP	975/-	1225/-

# AuraLED+ Downlighter

Premium design with Silver ring

- High Lumen Efficiency of upto 96lm/W
- Designed for Robustness – Wide voltage protection from 160V- 360V
- Surge Protection up to 2KV
- Metal housing: good performance on high temperature and heat resistance
- Available in 5W, 7W, 10W & 12W in Round shape only

HSN Code: 94051090



## General Specs

AuraLED+	5W	7W	10W	15W
Application	Downlighter			
Color	White			
Material	Aluminium			
Lamp base	LED 5W	LED 7W	LED 10W	LED 15W
Color Temperature	3000K/4000K/6500K			
Wattage	220-240V, 50Hz			
Dimensions (mm) (L X W X H)	102 x 102 x 38	120 x 120 x 40	140 x 140 x 40	180 x 180 x 45
Cutout	75mm	95mm	105mm	145mm
Lumen Output	480lm	620lm	900Lm	1450Lm
Master Pack	12pcs	12pcs	12pcs	12pcs
MRP	1,105/-	1,290/-	1,575/-	1,850/-



# Ultraslim Plus Panel

## Ultra Slim unique design

- Premium aluminium material
- 80lm/watt
- Product life 35000 burning hours
- Even and comfortable light perfected for your eye comfort
- Surge protection of 2 KV with wide voltage protection 160-360V
- Available in 6 wattages of 3W/7W/12W/15W/18W/22W
- CCTs of 6500K/4000K and 3000K in Round/Square form factor

HSN Code: 94051090

### General Specs

Ultraslim Plus	3W	7W	12W
Application	LED Downlighter		
Color	White		
Material	Aluminium		
Lamp base	LED 3W	LED 7W	LED 12W
Color Temperature	3000K/4000K/6500K		
Wattage	220-240V, 50Hz		
Dimensions (mm) (L X W X H)	R: 80 x 80 x 10 S: 80 x 80 x 10	R: 120 x 120 x 10 S: 110 x 110 x 10	R: 160 x 160 x 10 S: 140 x 140 x 10
Cutout (mm)	R:75/ S: 75	R: 104/ S: 94	R: 145/ S: 120
Lumen Output	190 lm	580 lm	920 lm
Master Pack	12 pcs	12 pcs	12 pcs
MRP	600/-	895/-	1120/-



### General Specs

<b>Ultraslim Plus</b>	<b>15W</b>	<b>18W</b>	<b>22W</b>
Application	LED Downlighter		
Color	White		
Material	Aluminium		
Lamp base	LED 15W	LED 18W	LED 22W
Color Temperature	3000K/4000K/6500K		
Wattage	220-240V, 50Hz		
Dimensions (mm) (L X W X H)	R: 180 x 180 x 10 S: 170 x 170 x 10	R: 200 x 200 x 10 S: 180 x 180 x 10	R: 225 x 225 x 10 S: 225 x 225 x 10
Cutout (mm)	R:165/ S: 150	R: 185/ S: 160	R: 208/ S: 208
Lumen Output	1200 lm	1575 lm	1840 lm
Master Pack	12 pcs	12 pcs	12 pcs
MRP	1,435/-	1,800/-	2,260/-



## StarCore Downlighter

**Deep Dome Design to reduce ceiling glare**

- High lumen output: 80-90lm/watt
- Even and comfortable light perfected for your eye comfort
- Uniform light output over product life of 15000 hours; CRI>80
- Surge protection of 2 KV with wide voltage protection 160-360V
- Available in 3 wattages of 3W/ 7W/ 10W
- CCTs of 6500k/4000k and 3000k in Round/Square form factor

HSN Code: 94051090

### General Specs

StarCore	3W	7W	10W
Application	LED Downlighter		
Color	White		
Material	Aluminium		
Lamp base	LED 3W	LED 7W	LED 10W
Color Temperature	3000K/4000K/6500K		
Wattage	160-360V		
Dimensions (mm) (L X W X H)	106 x 106 x 52	125 x 125 x 43	150 x 150 x 41
Cutout (mm)	80 mm	110 mm	136 mm
Lumen Output	250 lm	600 lm	900 lm
Master Pack	24 pcs	24 pcs	24 pcs
MRP	300/-	580/-	700/-





## Surface Mount Plus

### Surface Mount LED ceiling light

- Premium aluminium material for Endurance
- 80lm / watt
- Product Life: 35,000 burning hours
- No visible flickering, low glare and No UV IR radiations
- Surge protection of 2KV with wide voltage protection 160-360V
- Available in 4 wattages of 3W/ 12W/ 15W/ 22W
- Available in CCTs of 6500k/ 4000k and 3000k in Round/ Square form factor

HSN Code: 94051090

#### General Specs

Surface Mount Plus	3W	12W	15W	22W
Application	LED Downlighter			
Color	White			
Material	Aluminium			
Lamp base	LED 3W	LED 12W	LED 15W	LED 22W
Color Temperature	3000K/4000K/6500K			
Wattage	220-240V, 50Hz			
Dimensions (mm) (L X W X H)	R: 90x90x35 S: 90x90x35	R: 167x167x37 S: 146x146x37	R: 190x190x37 S: 184x 184x37	R: 235x235x46 S: 230x230x46
Lumen Output	190lm	920lm	1200lm	1840lm
Master Pack	12pcs	12pcs	12pcs	12pcs
MRP	880/-	1,395/-	1,745/-	2,700/-

# Star Surface

## Low profile ceiling light



- Slim, sleek profile – 25mm thickness
- Uniform light output over product life of 15000 hours
- Even and comfortable light perfected for your well being
- No visible flickering, no UV/IR and low glare to prevent eye strain
- Surge protection of 2 KV with wide voltage protection 160-360V
- Available in 2 wattages of 7W & 12W
- CCTs of 6500K/4000K/3000K in Round/Square form factor

HSN Code: 94051090

### General Specs

Star Surface	7W	12W
Application	Low Profile Surface Downlighter	
Color	White	
Material	Plastic	
Lamp base	LED 7W	LED 12W
Color Temperature	3000K/4000K/6500K	
Wattage	220-240V, 50Hz	
Dimensions (mm) (L X W X H)	146 x 146 x 25	178 x 178 x 25
Lumen Output	600 lm	900 lm
Master Pack	12 pcs	12 pcs
MRP	800/-	1,100/-

# Astra Surface Downlighter

## Celling light



- Even and comfortable light perfected for your well being
- No visible flickering, no UV/IR and low glare to prevent eye strain
- Uniform light output over product life of 15000 hours
- Surge protection of 2 KV with wide voltage protection 160-360V
- Available in 18W
- CCTs of 6500K/3000K in Round/Square form factor

HSN Code: 94051090

### General Specs

<b>Astra Surface Downlighter</b>	<b>18W</b>
Application	Surface Mount Downlighter
Color	White
Material	Plastic
Lamp base	LED 18W
Color Temperature	3000K/6500K
Wattage	220-240V, 50Hz
Dimensions (mm) (L X W X H)	197 x 197 x 43
Lumen Output	1450 lm
Master Pack	12pcs
MRP	1,600/-

## Deep Recessed COB+

- Premium Material – die cast Aluminium
- Strong focused adjustable beam
- Long life LED source
- Wide voltage protection (160-360V)
- Surge protection up to 2KV
- Available in 7W & 12W in Round shape only

HSN Code: 94051090



### General Specs

Deep Recessed COB +	7W	12W
Application	Deep Recessed Spot (COB) Lights	
Color	White	
Material	Aluminium	
Lamp base	LED 7W	LED 12W
Color Temperature	3000K/4000K/6500K	
CRI / Beam Angle	>80 / 36 degree	
Dimensions (mm) (L X W X H)	92 x 92 x 75	107 x 107 x 80
Cutout	79	95
Lumen Output	450 lm	900 lm
Master Pack	12 pcs	12 pcs
MRP	1360/-	1,785/-

## COB Spot Plus



- Spot (COB) lights with premium white metal housing made of aluminium
- Strong focused adjustable beam to highlight spaces/decor
- Good Heat Resistance – delivers good performance on high temperatures
- Long life LED source
- Wide voltage protection (160-360V)
- Surge protection up to 2KV
- Available in 7W, 12W, 18W & 22W in Round shape only

HSN Code: 94051090

### General Specs

COB Spot Plus	7W	12W	18W	22W
Application	Spot (COB) Lights			
Color	White			
Material	Aluminium			
Lamp base	LED 7W	LED 12W	LED 18W	LED 22W
Color Temperature	3000K/5000K			
Wattage	220-240V, 50Hz			
Dimensions (mm) (W X H)	90 x 50	105 x 52	120 x 65	120 x 80
Cutout (mm)	81 mm	95 mm	95 mm	110 mm
Lumen Output	400 lm (WW) 450 lm (NW)	800 lm (WW) 900 lm (NW)	1200 lm (WW) 1300 lm (NW)	1650 lm (WW) 1700 lm (NW)
Master Pack	12pcs	12pcs	12pcs	12pcs
MRP	1,285/-	1,685/-	2,400/-	2,700/-

# AstraSpot



- Elegant spot lights to highlight your deserving décor and art galleries
- Focused 36 degree beam and adjustable 25 degree tilt\*
- Good aesthetics with metal heat sink for durable performance
- With voltage protection and surge protection
- CRI > 80 with no harmful UV radiation
- Available as family across wattages of 2W/3W/3W Tilt/7W/12W and in CDL/WW/NW\*  
\* Tilt and NW are only available for 3W Tilt, 7W & 12W variant

HSN Code: 94051090

## General Specs

AstraSpot	2W	3W	3W Tilt
Application	Spot Lights	COB Spot Lights	COB Spot Lights
Color & Material	White Synthetic Housing	White Metal Housing	White & Aluminium
Lamp base	LED 2W	LED 3W	LED 3W
Color Temperature	3000K/6500K, Red, Green, Blue	3000K/6500K	3000K/4000k/6500K
Wattage	220-240V, 50Hz		
Dimensions (mm) (L X W X H)	R: 42 x 42 x 16	R: 60 x 60 x 30	R: 71 x 71 x 45
Cutout (mm)	35 mm	52 mm	64 mm
Lumen Output	100 lm	200 lm	240 lm
Master Pack	30 pcs	30 pcs	24 pcs
MRP	200/- /235/-(R,G,B)	465/-	500/-



### General Specs

<b>AstroSpot</b>	<b>7W</b>	<b>12W</b>
Application	COB Spot Lights	COB Spot Lights
Color & Material	White Housing	White plastic housing and black metal sink
Lamp base	LED 7W	LED 12W
Color Temperature	3000K/4000K/6500K	3000K/4000K/6500K
Wattage	220-240V, 50Hz	
Dimensions (mm) (L X W X H)	R: 82 x 82 x 56	R: 105 x 105 x 66
Cutout (mm)	77 mm	92 mm
Lumen Output	475 lm	900 lm
Master Pack	12 pcs	12 pcs
MRP	1,050/-	1400/-





## 2W Spot Plus

### 2W Spot Plus Light (Silver body)



- Elegant spot lights to highlight your deserving décor and art galleries
- Strong focused beam (36° beam)
- Material: Aluminium (Silver Body)
- Long life LEDs for durable performance

HSN Code: 94051090

#### General Specs

<b>Spot Plus</b>	<b>2W</b>
Application	Spot Lights
Color	Silver body
Material	Aluminium
Lamp base	LED 2W
Color Temperature	3000K/6500K
Wattage	220-240V, 50Hz
Dimensions (mm) (L X W X H)	-
Cutout	35 mm
Lumen Output	100 lm
Master Pack	30 pcs in master
MRP	290/-



## Cove Lighting

### Linea Plus Blue (31389): Blue LED Strip with Driver

- Blue LED Cove Lighting
- 25W with driver for 5M (Driver Included)
- Flexible & Customizable

HSN Code: 94051090



#### General Specs

<b>Cove Lighting</b>	<b>31389 Linea Plus Blue</b>
Application	LED Cove Lighting
Lamp base	LED 25W
Color Temperature	Blue
Wattage	220-240V, 50Hz
Dimensions (mm) (L X W X H)	5000 x 8 x 2
CRI	>80
MRP	2,200/-

## Cove Lighting

### Linea Plus (31308): LED Strip with Driver

- Bright LED Cove Lighting
- 28W with driver for 5M (Driver Included)
- Flexible & Customizable
- 2400lm for 5M (480lm/meter)

HSN Code: 94051090



#### General Specs

<b>Cove Lighting</b>	<b>31308 Linea Plus</b>
Application	LED Cove Lighting
Lamp base	LED 28W
Color Temperature	3000K/4000K/6500K
Wattage	220-240V, 50Hz
Dimensions (mm) (L X W X H)	5000 X 8 X 2
Lumen Output	2400 lm (480lm per meter)
CRI	>80
MRP	2,000/-

## Cove Lighting

### Linea Plus Premium (31400): High lumen LED strip

- High lumen offering LED Strip
- 50W
- 4500 lm for 5M (900 lm/meter)

HSN Code: 94051090



#### General Specs

<b>Cove Lighting</b>	<b>Linea Premium High Lumen Strip</b>
Application	LED Cove Lighting
Lamp base	LED 50W
Color Temperature	3000K/4000K/6500K
Wattage	220-240V, 50Hz
Dimensions (mm) (L X W X H)	5000 x 10 x 0.3
Lumen Output	4500 lm
CRI	>80
MRP	2,700/-

# Cove Lighting

## HV LED TAPE (31178)

- Plug & Play
- Cased in high quality PVC tubes
- No adhesive used. The product is clamped to wall.
- 200 lm/meter.

HSN Code: 94051090



### General Specs

<b>Cove Lighting</b>	<b>31160 HV Tape</b>
Application	HV LED Cove Lighting
Lamp base	LED 25W
Color Temperature	3000K/4000K/6500K
Wattage	220-240V, 50Hz
Dimensions (mm) (L X W X H)	5000 x 6.5 x 11
Lumen Output	1000 lm (200 lumen per meter)
CRI	>80
MRP	1,150/-



